

The claims have been amended to make clear that the side surface of the coil end section is in a plane substantially parallel to the rotor axis. The amendments should avoid a misperception, evident in the Action, that the claims indicate that an axis of the coil end section are parallel to the rotor axis. The claims do not state that an axis of the coil end sections are parallel to the rotor axis. Rather, the claims state that a side (or pair of sides) of the coil end section is parallel to the rotor axis. The coil support brace attaches to this side(s) of the coil end section.

Figures 3 and 6 show the coil support brace (58, 60) affixed, e.g. clamped, to a side surface of the coil end section. The side surfaces of the coil end section are each in a plane parallel to the rotor axis. The plates of the coil support brace sandwich the side surfaces of the coil end section to assist the section to withstand the centrifugal and torsional forces applied to the end section. The support plates are wide – wider than the coil end section -- to provide strength and rigidity to the coil end section.

The rejection of claims 1, 3-8, 12, 14-17 and 19-24 as being anticipated by Laskaris (U.S. Patent No. 5,548,168) is traversed. The rejected claims are directed towards a coil support for a superconducting coil on a rotor, wherein the coil support clamps against sides of the coil and the support is wider than the coil to brace the end section of the coil and covers the coil side.

Laskaris '168 discloses a "contoured housing 66" for a cooling tube (84). The contour housing extends along the outer periphery of the rotor coil winding. The contour housing is affixed to the outside end surface of the coil. This end surface is perpendicular to the rotor axis. The contour housing is not affixed to the side surfaces of the Laskaris

'168 end coil section that are parallel to the rotor axis. The side surfaces of the coil are distinct from the end surface of the coil that abut the coil housing.

The Laskaris '168 coil housing (66) provides no direct support to the side surfaces of coil (20). The coil housing is not affixed to the side surfaces of the coil. Moreover, the Action incorrectly states that the coil housing is as wide as the coil. The Action should have stated that the coil housing is as thick as the coil, because the coil housing abuts the edge of the coil. As the coil housing does not abut the sides of the coil – where the sides are parallel to the rotor axis – it is not clear from the patent drawings in Laskaris '168 whether the coil housing is wider than the sides of the coil. Further, because the coil housing does not abut the sides of the coil, it is irrelevant whether the coil housing is as wide as the sides of the coil.

The Action asserts that the spacer plates (72) support the coil and sandwich the sides of the coil. Contrary to the Action, the spacers merely prevent the coil from sliding from side to side within the thermal shield (22). There is no suggestion that the plates (72) brace the coil, they are not wider than the coil sides, and they do not cover the coil and do not cover the coil. The spacer plates in Laskaris '168 do not take the place of the coil housing (66) or serve the same support function.

There are several claim elements that are not disclosed or suggested by Laskaris '168 including:

- An end coil support that “abuts at least one side surface of said coil end section, wherein said at least one side surface is in a plane substantially parallel to a rotor axis” (Claims 1, 12 and 17)

The end coil support being wider than a width of the coil end section and covers the side of the coil end section. (Claims 1, 12 and 17)

- Wherein the coil support is a split clamp having opposing surfaces abutting the sides of the coil. (Claims 2 and 13, see also claim 18). The spacer plate (72) shown in Laskaris are not plates which sandwich the end section of the coil.
- Wherein the coil support is a pair of plates that sandwich the sides of the end coil. (Claims 3 and 15, see also claim 19). The spacer plate (72) shown in Laskaris are not plates which sandwich the end section of the coil.

The obviousness rejection of claims 9-11 and 25-27 are traversed for substantially the same reasons as stated above regarding Laskaris '168. Further, the Rios patent (U.S. Patent No. 4,277,705) does not suggest that the Laskaris coil housing (66) be modified to form the claimed invention. The coil support disclosed in Rios are end sections (20) of a stack of coils and plates that form the rotor core. The rotor core section (30) does not provide support to the end section of the coils. Rios does not suggest that the coil winding housing (66) in Laskaris '168 be modified to form the end coil support section shown in the present invention. Further, Rios does not disclose or suggest the side coil support as shown in the present application.

The rejection of dependent claims 2, 13 and 18 as being obvious over Laskaris '168 in view of Nottingham (US Patent 4,072,873) is traversed for the reasons stated above for the corresponding independent claims. Nottingham does not disclose a split clamp for a rotor or for a moving coil. Rather, Nottingham discloses a stationary split

WANG et al  
Serial No. 09/854,940


clamp for a stator. There is nothing in Nottingham to suggest that the stator split clamp should be used to replace the spacers 72 and coil housing 66 in Laskaris '168.

All claims are believed to be in good condition for allowance. If any small matter remains outstanding, the Examiner is respectfully requested to telephone Applicant's attorney. Prompt reconsideration and allowance of this application is respectfully requested.

Respectfully submitted,

**NIXON & VANDERHYE P.C.**

By: \_\_\_\_\_

  
Jeffrey H. Nelson  
Reg. No. 30,481

JHN:glf  
1100 North Glebe Road, 8th Floor  
Arlington, VA 22201-4714  
Telephone: (703) 816-4000  
Facsimile: (703) 816-4100